



Fast Deployable Net Barrier

Data Sheet v1.0



CableSafe® / Westmark B.V.
Arnhemseweg 87, 3832 GK Leusden



+31334614844



info@cablesafe.com

DROPPED OBJECTS PREVENTION

Fast Deployable Net Barrier

Description

The Fast Deployable Net Barrier is based on the retractable fencing technology of the barrier storage cartridge. The fencing is easily extended and linked to a variety of posts and bases to create a secure structure. Once the task is complete, the fencing simply is retracted via a handle and can be stored or transported to the next job.

Advantages

- > 2 minutes installation
- > Quick set-up in minutes by a single worker
- > Carried by a single worker
- > Click multiple systems together to cover large areas
- > Take down without waste



MODEL	CHARACTERISTICS
Fast Deployable Net Barrier Wheeled System	<ul style="list-style-type: none"> • Wheeled Base Unit • Orange cartridge • 50' orange raised profile fencing • 4 x orange posts with end lockout and 4 rubber bases • Overall size: 22" deep x 31" wide x 64" high (56 cm x 79 cm x 163 cm) • Approximate weight: 192 lbs / 87 kg • Material Net: Medium-density Polyethylene
Fast Deployable Net Barrier 3-Legged System	<ul style="list-style-type: none"> • Orange cartridge • 50' orange raised profile fencing • 4 x orange posts with end lockout, in a post carry bag and 4 rubber bases • Steel cartridge base • Overall size: 11" diameter x 57.5" high (28 cm x 147 cm) • Approximate weight: 165 lbs / 75 kg • Material Net: Medium-density Polyethylene

DROPPED OBJECTS PREVENTION Fast Deployable Net Barrier

Images



OUR WORK AREA



CableSafe® / Westmark
B.V Arnhemseweg 87
3832 GK Leusden

