


Lanyard / Steel Securing Cable

Data Sheet v2.2



CableSafe® / Westmark
www.cablesafe.com

 +31 (0)33 461 48 44 (NL)
302-252-8272 (US)

 info@cablesafe.com

DROPPED OBJECTS PREVENTION Lanyard

Description

Dropped Objects Prevention Lanyards are used for secondary retention. It secures, encloses and tethers overhead fixtures to prevent dropped objects to the work floor when its primary attachment (or installation bracket) fails. The Dropped Objects Prevention Lanyards are designed for onshore and offshore conditions and has warranty for 3 years.

Materials included per Lanyard

- > Lanyard / Steel Securing Cable
- > M8 Carabiner (D-Shackle with split pin optional)




Load capacity: DNVGL & ABS verified

The Dropped Objects Prevention Lanyard \varnothing 4 mm provides a break load of 818 kg (1803 lbs), safe work load of 164 kg (361 lbs) - test report DNVGL & ABS available upon request. An average overhead light fixture used on board offshore platforms weighs about 20 kg (44 lbs).

Lanyard / steel securing cable

- > **Material:** Stainless steel AISI316
- > **Cable type:** 7 x 19
- > **\varnothing Rope:** 4 mm
- > **kN:** 8.01 (breaking load)



M8 Carabiner

- > **Material:** Stainless steel AISI316



D-Shackle with split pin optional

- > **Material:** Stainless steel AISI316
- > **Break load:** 1077 kg (2374 lbs)
- > **SWL:** 215 kg (473 lbs)



MODEL	CHARACTERISTICS
Dropped Objects Prevention Lanyard 2.5 M	<ul style="list-style-type: none"> • Designed and tested to over five times (5x) the product Safe Working Load (SWL) • Withstands extreme high temperatures up to 500°C (932°F) • Withstands extreme low temperatures down to -40°C (-40°F) • SUS/AISI316 stainless steel • Example for secondary retention: floodlights, speakers, horns, navigation lights, strobe lights, cameras, self-retracting lifelines, etc.

* All our CableSafe Lanyards have a 3 year warranty if installed correctly

OUR WORK AREA



Subsidiary
Draper, Utah, USA
Westmark LLC



Main office / HQ
Leusden, The Netherlands
Westmark B.V.

